

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Fleckspachtel V30)
Article number : 0331__000 **Version (Revision) :** 6.0.0 (5.2.0)
Revision date : 05.12.2019 **Print date :** 05.12.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Fleckspachtel V30) (0331__000)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Products Category [PC]

PC9b - PC 9b - Fillers, putties, plasters, modelling clay

Sectors of use [SU]

SU21 - Consumer uses: Private households (= general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

PUFAS Werk KG

Street : Im Schedetal 1

Postal code/city : 34346 Hann. Münden

Telephone : +49 (0)5541 7003-01

Telefax : +49 (0)5541 7003-50

Information contact :

E-mail (competent person) : sds@pufas.de

Website : www.pufas.de

1.4 Emergency telephone number

+49 (0)5541 7003-41/-64

Only available during office hours (Mo-Th 8 - 16 h, Fr 8 - 12.30 h).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

2.2 Label elements

None

2.3 Other hazards

Adverse environmental effects

Cement reacts alkaline with water. Increased pH-value when disposed of in water bodies or the sewage system.

2.4 Additional information

By the use of cement in our recipe which already uses low-chromate raw materials during its manufacture, resulting a soluble Chromium VI content of less than 2 ppm (0.0002%), the inclusion of a "use before date" on our packaging in accordance with the REACH-REGULATION 1907/2006/EC, Appendix XVII, 47. is not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Consists of: Cement, mineralic extenders, powder of dispersion and additives

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Fleckspachtel V30)
Article number : 0331__000 **Version (Revision) :** 6.0.0 (5.2.0)
Revision date : 05.12.2019 **Print date :** 05.12.2019

Hazardous ingredients

CEMENT ; EC No. : 266-045-5; CAS No. : 65997-16-2

Weight fraction : $\geq 30 - < 40$ %

Classification 1272/2008 [CLP] : None

CALCIUM CARBONATE ; REACH No. : Annex V,7. ; EC No. : 215-279-6; CAS No. : 1317-65-3

Weight fraction : $\geq 20 - < 30$ %

Classification 1272/2008 [CLP] : None

POLYVINYLACETATDISPERSIONSPULVER(Allgemeiner Staubgrenzwert) ; REACH No. : Art. 2 (9) ; CAS No. : 9003-20-7

Weight fraction : $\geq 10 - < 15$ %

Classification 1272/2008 [CLP] : None

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Notice the directions for use on the label. When in doubt or if symptoms are observed, get medical advice. Change contaminated, saturated clothing.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician in any case!

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

No special measures are necessary.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use suitable breathing apparatus.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Fleckspachtel V30)
Article number : 0331__000 **Version (Revision) :** 6.0.0 (5.2.0)
Revision date : 05.12.2019 **Print date :** 05.12.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. The usual precautionary measures for the handling of chemicals have to be observed.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Protect against moisture and water.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Normal precautions taken when handling chemicals should be observed. Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs.

Measures to prevent fire

No special measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed.

Further information on storage conditions

Do not store outside. Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Please note safety instructions and directions for use on the drum.

Do not store at temperatures below : Avoid cooling to under 0°C.

7.3 Specific end use(s)

Recommendation

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

None

Remark

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Suitable eye protection

goggles

Skin protection

Hand protection

By long-term hand contact : rubber gloves. PVC (polyvinyl chloride)

Body protection

Wearing of closed working clothes. Remove contaminated, saturated clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Fleckspachtel V30)
Article number : 0331__000 Version (Revision) : 6.0.0 (5.2.0)
Revision date : 05.12.2019 Print date : 05.12.2019

Respiratory protection

Suitable respiratory protection apparatus

Usually no personal respirative protection necessary.

General information

The usual precautionary measures for the handling of chemicals have to be observed. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Environmental exposure controls

See also section 6 and 12.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : solid: Powder

Colour : white

Odour

characteristic

Safety characteristics

Melting point/freezing point :	(1013 hPa)	not determined	
Initial boiling point and boiling range :	(1013 hPa)	not determined	
Flash point :		none	Brookfield
Auto-ignition temperature :		none	
Lower explosion limit :		No data available	
Upper explosion limit :		No data available	
Vapour pressure :	(50 °C)	not relevant	
Density :	(20 °C)	No data available	
Bulk density :		approx.	850 kg/m ³
Solvent separation test :	(20 °C)	not relevant	
pH :	(20 °C / 50 g/l)	<	11,5
Flow time :	(23 °C)	not applicable	ISO cup 6 mm
Cinematic viscosity :	(40 °C)	not applicable	
VOC-value :		<	1 g/l

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

None, if handled according to order. Reactions with acids: development of heat.

10.6 Hazardous decomposition products

None, if handled according to order.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Flecksputtel V30)
Article number : 0331__000 **Version (Revision) :** 6.0.0 (5.2.0)
Revision date : 05.12.2019 **Print date :** 05.12.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Acute oral toxicity

Parameter : LD50 (CEMENT ; CAS No. : 65997-16-2)
Exposure route : Oral
Species : Rat
Effective dose : > 2000 mg/kg

Practical experience/human evidence

This product is unlikely to harm health, given normal and proper handling and hygienic precautions. Causes skin irritation. Risk of serious damage to eyes. Irritating to respiratory system.

Acute inhalation toxicity

Parameter : LC50 (CEMENT ; CAS No. : 65997-16-2)
Exposure route : Inhalation
Species : Rat
Effective dose : > 5 mg/l
Exposure time : 4 h

Specific effects (Longterm animal experiment)

No data available

Corrosion

No data available

Respiratory or skin sensitisation

No data available

Repeated dose toxicity (subacute, subchronic, chronic)

No data available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No data available

Germ cell mutagenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

No information available.

Effects in sewage plants

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Flecksputtel V30)
Article number : 0331__000 **Version (Revision) :** 6.0.0 (5.2.0)
Revision date : 05.12.2019 **Print date :** 05.12.2019

12.2 Persistence and degradability

No information available.

Biodegradation

Preparation consists of mineralic substances, so it cannot mines biological.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Change of the pH-value, influence of aquatic creatures is possible.

12.7 Additional ecotoxicological information

Additional information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Waste codes/waste designations according to EWC/AVV

Waste code product

Powder:

06 02 99

Drying up:

17 01 01

Waste name

Powder:

wastes not otherwise specified

Drying up:

concrete

Waste code packaging

15 01 01

or

15 01 05

Waste name

paper and cardboard packaging

or

composite packaging

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : pufaplast V30 - filler for holes and ceilings
(pufaplast Flächen- und Fleckspachtel V30)
Article number : 0331__000 **Version (Revision) :** 6.0.0 (5.2.0)
Revision date : 05.12.2019 **Print date :** 05.12.2019

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Other regulations (EU)

Low on chromates according to EC-Regulation No 1907/2006, Annex XVII (47)

Labelling for contents according to regulation (EC) No. 648/2004

- this product is not subject to EC Detergent regulation no. 648/2004.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC-Directive (2004/42/CE) - Classification: - out of scope

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3 Additional information

None

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

None

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.